ESET Tech Center

Knowledgebase > ESET PROTECT On-prem > Configure ESET PROTECT to automatically deploy ESET endpoint products to unprotected computers (8.x)

Configure ESET PROTECT to automatically deploy ESET endpoint products to unprotected computers (8.x)

Steef | ESET Nederland - 2021-01-14 - Comments (0) - ESET PROTECT On-prem

Issue

- Create a new dynamic group that identifies client computers not protected by ESET endpoint products
- <u>Create a task to deploy ESET endpoint products to unprotected computers</u>

Solution

~	Examples of Dynamic Group templates and their use For additional examples of using Dynamic Group templates, see <u>Dynamic Group template - examples</u> in ESET PROTECT Online Help and Related articles below.
0	ESET PROTECT 8.x User Permissions This article assumes that your ESET PROTECT user has the correct access rights and permissions to perform the tasks below.
	If you are still using the default Administrator user, or you are unable to perform the tasks below (the

option is grayed out), see the following article to create a second administrator user with all the access rights (you only need to do this once):

Create a second administrator user in ESET PROTECT

I. Create New Dynamic Group

A user must have the following permissions for their home group:

Functionality	Read	Use	Write
Groups & Computers	\checkmark	\checkmark	\checkmark

Once these permissions are in place, follow the steps below.

- 1. Open ESET PROTECT Web Console in your web browser and log in.
- 2. Click **Computers** .
- 3. Select the static group that will be the parent of the new group, click the gear icon and then select **New Dynamic Group** from the context menu.

eser	PROTECT		group 1		G v	Computer Na	ame	QUICK	links ⊽	⑦ HELP ♥	A ADI	MINISTRATOR		SOUT
		Computers	i Show Details	:	A 0	¥ 0	SHOW SUBGRO	DUPS 🔽	🗅 group 1	2) Tags	∇		DOFCETS W	
돠	COMPUTERS	Groups	+ New Static Group + New Dynamic Group	~	ADD FIL	TER						L	Photo	1~
A		∧ 🗅 Al (3)	+ Add New P D Tasks D				R NAME	ST	ATUS T	AGS I	NUTED	MODULES	LAST CONN	٥
		Lost & found (1)	Reports			Vin7.cont	oso.com 192.1	68.64 😣				Unknown	2020 Nov 1	9 20:36:0
Ċ:		∧ Yindows comput				🖵 🖗 win10	.contoso.com	192.1 🗸				Updated	2020 Nov 1	9 20:36:0
		🕐 Windows (des	G Move											
٢		Windows (ser	Delete Export											
φ		No manageat	1 Import											
°.		V 🖸 Linux computers												
<u></u>		Tags		م م										
		ESEI												
					1									
Ð					ADD NEV	v 💌 🕹	ACTIONS 🗢	MUTE	V				K @ 1 @	

4. Type a name for the group in the **Name** field. If necessary, configure the **Description** and **Parent Group** settings to your preferences.

(cser	PROTECT		G 🗢 Computer Name			LOGOUT H th
		New Dynamic Group				
G	COMPUTERS	Computers > Product Not Installed				
A						
		Basic	Product Not Installed			
0e		Summary	Description			
8						
ø			Parent Group			
¢			group 1			
8						
2			CHANGE PARENT GROUP			
				_		
•			BACK CONTINUE FINISH CANC	EL.		

5. Click **Template** \rightarrow **New**.

es	PROTECT		G∂ ♥ Computer Name	QUICK LINKS 🔻	⊙ HELP ⊽	A ADMINISTRATOR	G LOGOUT
	DASHBOARD	New Dynamic Group					
ç	COMPUTERS	Computers > Product Not Installed					
A			A Demonia Graun Templata				
		A Template	A Dynamic Group Template				
Ē:		Summary	CHOOSE EXISTING				
							
۲							
Ŷ	Notifications						
v							
2							
E	COLLAPSE		BACK CONTINUE FINISH CAN	ICEL .			

6. Type a name in the **Name** field.

lew Template	
Basic	Name
Expression	Product Not Installed
	Description
	Tags Select tag
	Select togs

7. Click **Expression**, select **NOR (All conditions have to be false)** from the **Operation** drop-down menu and then click **Add Rule**.

New Template	
Basic Expression	OPERATION NOR (All conditions have to be false)
	BACK CONTINUE FINISH CANCEL

8. Expand Installed software, select Application name and then click OK.



9. Select **has prefix** from the drop-down menu, enter **ESET Endpoint Security** or **ESET File Security** depending on which product will be automatically deployed to client workstations in this dynamic group, and then click **Finish**.

Desis	
basic	OPERATION NOR (All conditions have to be false)
Expression	Installed software . Application name Add Rule
	BACK CONTINUE FINISH CANCEL

10. Click ${\bf Finish}$ and proceed to part II.

esei	PROTECT		Gor Computer Name QUICK LINKS ∞ ③ HELP ∞ A ADMINISTRATOR ⊟ LOGOUT
		New Dynamic Group	
돠	COMPUTERS	Computers > Product Not Installed	
		Partie	Dursanic Group Tomolete
		Template	Product Not Installed
Ē:		Summary	CHOOSE EXISTING. NEW.
0			
ŵ			
ۍ ۲			
-			
			1
e			

II. Create a new Client Task to deploy ESET endpoint products to unprotected clients

A user must have the following permissions for each affected object:

Functionality	Read	Use	Write
Groups & Computers	\checkmark	\checkmark	\checkmark

A user must have the following permissions for their home group:

unctionality		Use	Write
Software Install (under Client Tasks)	\checkmark	\checkmark	\checkmark

Once these permissions are in place, follow the steps below.

- 1. Click Tasks.
- 2. Expand ESET Security Product, select Software Install, click New, and then click Client Task.

	PROTECT		Su - Computer Name			10 ×4h
		Tasks :	● ▷ ⊙ ✓ Access group select 👔	De Software Install		
돠		Task Types	ADD FILTER			PRESETS V
▲		A Thi ESET Security Product	NAME TAGS	PROGRESS	TYPE STATE	us 💿
		Diagnostics				
00	Tasks	End computer isolation from netw				
		Export Managed Products Configu				
-		Isolate computer from network				
۲		Modules Update				
¢.		Modules Update Rollback				
₽-		Dn-Demand Scan		Y.		
2		Product Activation		· ~		
		Quarantine Management		No results found		
		Run Sysinspector Script		Try to adjust search criteria in filter		
		Send File to EDTD		CLEAR FILTERS		
		🕈 🗈 Server Scan				
		Software Install				
		Tags ,0				
		ESET	+ Clent Task			
			+ Server Task			,
E			NEW. Y ACTIONS Y			0 0 1 0 0

3. Type a name for the task in the **Name** field (configure the other settings in the **Basic** section as necessary).

esei	PROTECT			ð♥ Computer Name			LOGOUT Mh Hh
		New Client Task					
돠		Tasks > Install Endpoint					
▲			Maria				
1		Settings	Install Endpoint				
te:	Tasks	Summary	Taos				
			Select tags				
ø			Description				
Φ							
₽.							
2			Task Category				
			All Tasks			~	
			Task				
			Software Install			¥.	
e			BACK CONTINUE	RINISH CANCEL]		

4. Click **Settings** and click **Select** to choose your ESET license. You will add Targets after the task is created.

eser	PROTECT		G 🗢 Computer Name	QUICK LINKS 🖤	⑦ HELP ♥	ADMINISTRATOR	B LOGOUT
		New Client Task					
딬		Tasks > Install Endpoint					
▲							
		Basic Settings	Software installation settings				
	Tasks	Summary	Select				
			A Package to install ③				
			Install package from repository: «Choose package»				
			Install by direct package URL				
2			Installation parameters 🛇				
			Automatically reheat when needed				
e	COLLAPSE		BACK CONTINUE FINISH CANCE	EL			



6. Click Choose package.

ese	PROTECT		Computer Name				B LOGOUT
		New Client Task					
▲ ₩ ₽ 0 0 0	DETECTIONS Reports Tasks Installers Policies Notifications	Basic Summary	Software installation settings ESET license © ESET frequent Security - Pie Security, public ID 3AJ VGP-457, 2021 Fee 4 040000 A Package to install © Instal package from reposition - Choose packages	owner luigi Juarez (luigi Juarez	z@eset.com), expires	×	
¥ 2			Installation parameters				
Ð	COLLAPSE		BACK CONTINUE FINISH CAN	EL.			

7. Select the product you want to deploy and click **OK**.

LEG		ADD FILTER						PRESE	^ ۲۵ 🔻 ۵
	SOFTWARE FAMILY	▽ PRODUCT NAME	VERSION	OS TYPE	DESCRIPTION	LANGUAGE	CHANGELOG	EULA	٢
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	zh_TW			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	ar_EG			***
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	bg_BG	1 -		
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpol	cs_CZ			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	da_DK			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpol	de_DE			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	el_GR			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpol	en_US	-		
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	es_CL			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	es_ES	-		
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	et_EE			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	fi_Fi			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	fr_CA			
	ESET Endpoint Security	ESET Endpoint Security		windows	ESET Endpoi	fr FR			
							<u>→</u> [ок	CANCEL

8. Select the check box next to I accept the terms of the application End User License Agreement and acknowledge the Privacy Policy and then click Finish.

CSet	PROTECT		Go ♥ Computer Name	QUICK LINKS 🔻	⑦ HELP ▼	A ADMINISTRATOR	⊡ LOGOUT
		New Client Task					
G		Tasks > Install Endpoint					
▲							
		Basic	Software installation settings				
œ	Tasks	Summary	ESET license ③				
			ESET Endpoint Security + File Security, 2021 Feb 4 04:00:00			×	
۲			Package to install ③				
Φ			 Install package from repository: ESET Endpoint Security; 				
ę.			Install by direct package URL				
<u>-</u>			accept the terms of the application End User License App	eement and acknowledge the	Privacy Policy-		
			Installation parameters ③				
			Automatically reboot when needed				
			0				
÷	COLLAPSE		BACK CONTINUE FINISH CAN	CEL			

9. Click Create Trigger when you are asked whether you want to add a trigger for the client task.



10. Enter a **Trigger Description** and click **Target**.

GSET	PROTECT		G)	Computer Name	QUICK LINKS 🤝	③ HELP ♥	B LOGOUT
		Add New Trigger					
G		Tasks > Install Endpoint					
▲						-	
-		Basic	Install Endpoint				
Ē	Tasks	Trigger	-				
		Advanced Settings - Throttling				-	
ø							
¢.							
8-							
2							
E			BACK CONTINUE	RINSH CANCEL			



CSet	PROTECT		G 🗢 Computer N	ame QUICK LINKS 🗢	⑦ HELP マ	A ADMINISTRATOR	LOGOUT
		Add New Trigger					
G		Tasks > Install Endpoint					
▲							
		Target	ADD COMPUTERS ADD GROUPS	REMOVE TARGETS			
Ce	Tasks	Trigger					٢
- 0		Advanced Settings - Throttling		NO DATA AVAILABI	£		
φ							
8-							
2							
Ð	COLLAPSE		BACK CONTINUE FINISH	CANCEL			

12. Select the check box next to the dynamic group you created in part I and click $\boldsymbol{OK}.$

Select targets										×
Groups	۵ ۵ ۹	A 0 - 0	SHOW SUBGR	OUPS Tags		ADD	FILTER	PRESETS 🔝		
All (3)	A	△2COMPUTER NAME		TAGS	STA	MU	MO	LAST CONNECTED	ALE	DI 向
Prod	(2) Juct Not Installed	@ win7.contoso.com	192.168.64.14		0		Un	2020 Nov 19 20:48:25	2	0
Lost & fe	ound (1)									
	mputers									
🗌 🗸 🖿 Mac con	outers									
Computi	ers with outdated	<					-			•
Problem	atic computers								⊠ 0 1	0 🕯
TARGET NAM	IE		TARGET DESCRIPTION	DN			TARGET	ТҮРЕ		٢
Product Not I	Installed						Dynamie	: Group		
								\rightarrow	_	
REMOVE	EMOVE ALL								ок	ANCEL

Click **Trigger** and select **Joined Dynamic Group Trigger** from the **Trigger type** drop-down menu.
 Click **Finish**.



esei	PROTECT		Grand Computer Name	QUICK LINKS 🤝	③ HELP ♥	A ADMINISTRATOR	E LOGOUT
		Add New Trigger					
돠		Tasks > Install Endpoint					
▲			1				
<i></i>		Basic	Joined Dynamic Group Trigger		~		
Ē	Tasks	Trigger	Inggers when a client joins the dynamic group	\			
		Advanced Settings - Throttling		۱			
٢				۱			
φ							
v							
2				1			
				1			
			1				
				_			
Œ	COLLAPSE		BACK CONTINUE FINISH CANCE	<u> </u>			