ESET Tech Center

Knowledgebase > Legacy > Create a new user account in ESET PROTECT Web Console (8.0)

Create a new user account in ESET PROTECT Web Console (8.0)

Steef | ESET Nederland - 2021-01-15 - Comments (0) - Legacy

Issue

- Create a home group
- Create a permission set
- <u>Create a user</u>

Solution

Create a new user in ESET PROTECT 8

ESET PROTECT 8 uses an improved user security model which is different from previous versions. The user security model uses home groups, objects and permission sets.

Each user belongs to a **Home Group**, and can have multiple permission sets assigned. The Administrator's Home Group is **All**. If the user has access to a group, the user has the same access to all child groups of that group. The **Administrator** can access all groups.

A user's home group is a static group where all objects created by the user are stored. A user has access to all objects in their home group. Users with the same home group will have access to the same objects. Objects are always located in a static group. The term **Objects** refers to computers, devices, templates, policies, tasks, and notifications.

Permission Sets configure the access level for a specific group and determine the actions (**Functionalities**) which can be performed with the objects in the group.

This article provides a complete walkthrough for creating new users, including home group and permission set creation. There are three key steps in creating a user:

- I. Create a home group
- II. Create a permission set
- III. Create a user

I. Create a home group

Each user needs to have a static group assigned as their home group. This group will contain all objects created by that user (unless the object is moved or the home group is changed). We recommend that only the Administrator has the **All** home group. Multiple users can have the same static group assigned as their home group. An administrator that manages multiple offices can create a static group for each office and assign it as the home group for the local admin. All groups are child groups of the **All** group, therefore the Administrator with the **All** home group has access to all of them.

To create a new static group to be the home group for a new user, follow these steps:

- 1. Open ESET PROTECT Web Console in your web browser and log in.
- 2. Click **Computers**, click the gear icon in next to the static group you want to use as a parent group and select **New Static Group**.

 GEOP PROTECT

			i Show Details	"
			Comput + New Static Group_	
	돠	COMPUTERS	Groups + New Dynamic Group_ + New Dynamic Group_ + Add New. b	0
			▲ Lali (3) D Tasks D COMPUTER NAME TAGS STATUS MUTER	D ©
			⑦ Reports ⑦ Manage Policies_ ◎ Win7.confloso.com 192.168.64 ●	
			V Edit	
			V T Ma 📋 Delete	
			TCC U Export	
			To Co I Import J s	
			Problematic computers	
2			Tags A	
			ESET	

3. Type the **Name** of the new group. Optionally, you can add a **Description**. It is important to choose the correct **Parent group**. Your new group will be located in the parent group and all users with access to the parent group will also have the same access to this new group. Click **Finish** to create the group.


eser	PROTECT		Computer Name $o^{\rho} \bigtriangledown$ \odot \land $\underset{\scriptstyle >4h}{\boxminus}$
	DASHBOARD	New Static Group	
G	COMPUTERS	Computers > Sydney Office	
A	DETECTIONS		
	Reports	Basic	Name Sydney Office
	Tasks		Description
	Installers Policies		
	Notifications		Parent group
ዮ 2	Status Overview		CHANGE PARENT GROUP
2	More >		
E	COLLAPSE		BACK CONTINUE FINISH CANCEL

II. Create a permission set

A permission set is a collection of rules that determines the level of interaction a user is allowed to have with the objects in the group the permission set is associated with. One permission set can be assigned to different users, but it is not necessary to assign it to a user at this time. Permission sets can be associated with multiple static groups. A permission set will automatically be applied to the objects in the subgroups of the static groups you select. Be sure to select a static group at the level of access you want your user to have. The objects in all groups below the static group you select will also be affected. The permissions for this permission set will be assigned in the **Functionality** section.

To create a new permission set, follow these steps:

1. On the ESET PROTECT Web Console, click the **More** icon $\dots \rightarrow$ **Permission Sets** \rightarrow **New**.



2. Type the name of the new permission set in the **Name** field. Optionally, you can type a **Description**.

(eset)	PROTECT		G ♥ Computer Name d? ♥ ③ ♥ A ⊟ LOGOUT
	A DETECTIONS Submitted Files Exclusions	New Permission Set	
A	Quarantine	Basic	Name
ты	Computer Users	▲ Static Groups	Sydney Permissions
ð	Dynamic Group Templates	Functionality	Description
8	LICENSES	User Groups	Description
© 2	License Management	Users	
ው ዮ	ACCESS RIGHTS	Summary	Tags Select tags
2 >	Permission Sets		
	CERTIFICATES Peer Certificates Certification Authorities		
	SERVER Server Settings		
	ACTIVITY AUDIT		
	CLOSE		BACK CONTINUE FINISH CANCEL

 Click Static Groups → Add static group(s) and select the checkboxes next to the static groups that will be associated with this permission set. Select the group you created in part I and click OK to confirm your choice.

eser	PROTECT		G ♥ Computer Name d? ♥ ③ ♥ A ⊟ LOCOUT
	DETECTIONS Submitted Files Exclusions	New Permission Set Permission Sets > Sydney Permissions	
A	Quarantine	Basic	Please note that access rights chosen in next step will be applied on static groups selected below
and	Computer Users	Static Groups	Static groups
	Dynamic Group Templates	Functionality	Select static groups
©	LICENSES License Management	User Groups	
ው የ	ACCESS RIGHTS	Summary	
2 >	Users Permission Sets		
	CERTIFICATES Peer Certificates Certification Authorities		
	SERVER Server Settings		
	ACTIVITY AUDIT		
	CLOSE		BACK CONTINUE FINISH CANCEL

4. Click Functionality. You can select one of the pre-defined permission models or manually select the access level for the user that will be assigned to this set. There are three different access levels: Read, Use and Write. Click the ✓ icon next to Server Tasks & Triggers and Client Tasks to expand the categories and select permissions for specific tasks. Read more about the functionalities in this Online Help topic.

eser	PROTECT		G ♥ Computer Name	₽ ⊽	0	~ Ջ	EOGOUT S4 h
	DETECTIONS Submitted Files Exclusions	New Permission Set					
A	Quarantine		Functionality Privileges				*
	COMPUTERS	Basic	All Functionality 💿				
í.	Computer Users	Static Groups	Clear Access				
Þ	Dynamic Group Templates	Functionality	Grant All Functionality Read Only				
	LICENSES	User Groups	Grant All Functionality Use Access				
۲	2 License Management	Users	Grant All Functionality Full Access				
ው ዮ	ACCESS RIGHTS Users	Summary	Granted Functionality \odot	Read	Use	Write	
2 >	Permission Sets		Groups & Computers				
			Enterprise Inspector Administrator				
	CERTIFICATES		Enterprise Inspector User				
	Peer Certificates		Permission Sets				
	Certification Authorities		Domain Groups				_
			Native Users				
	SERVER		Agent Deployment				
	Server Settings		Stored Installers				
			Certificates				
	ACTIVITY AUDIT		Server Tasks & Triggers Client Tasks			0	×
	CLOSE		BACK CONTINUE FINISH	CANCEL)		×

 Click User Groups. If you want to assign this permission set to a group of users synchronized from your Active Directory, click Add user group(s). It is not necessary to add a user group. User groups are managed in Computer Users.

eser	PROTECT		$\Box \triangledown Computer Name \qquad \qquad$
	DETECTIONS Submitted Files Exclusions	New Permission Set	
▲ % ⊡ © ¢	Quarantine COMPUTERS Computer Users Dynamic Group Templates LUCENSES LUCENSES LUCENSES LUCENSE Management ACCESS RIGHTS USERS	Basic Static Groups Functionality User Groups Users Summary	User Groups Privileges All User Groups ③ Clear Access Grant All User Groups Read Only Grant All User Groups Use Access Grant All User Groups Full Access
2 >	Permission Sets CERTIFICATES Peer Certificates Certification Authorities SERVER Server Settings ACTIVITY AUDIT		Granted User Group(s)


 Click the Users section. You can assign this permission set to an existing user or to an existing Mapped Doman Security Group. Click Finish to create and save the new permission set.

eser	PROTECT		G マ Computer Name	& ∠	⊘ ⊽	٨	E LOGOUT S4h
	DETECTIONS Submitted Files Exclusions	New Permission Set					
A	Quarantine	Basic	Please assign permission sets to native user	or mapped	domain se	curity o	Iroup:
	Computer Users						
đ	Dynamic Group Templates	Static Groups Functionality	ADD ALL REMOVE ALL				
Ē	LICENSES	User Groups					
0	2 License Management	Users	Unassigned (Available) Users		▽	Users	s Assigner.
ው ዮ	ACCESS RIGHTS	Summary	 ✓ Â Native Users ✓ ८९ Mapped Domain Security Groups 			<emp< th=""><th>ty></th></emp<>	ty>
2 >	Permission Sets		1				
	CERTIFICATES Peer Certificates Certification Authorities		\backslash				
	SERVER						
	Server Settings						
	ACTIVITY AUDIT						
	A						
	CLOSE		BACK CONTINUE FINISH	CANCEL			

III.Create a user

We recommend that you create a user as the last step so they can be assigned to the correct home group and permission set.

 On the ESET PROTECT Web Console, click the More icon ... → Users and click Add New.



- 2. In the **Basic** section, type the new login name for the user in the **User** field.
- 3. Click **Select** under **Home group** and select the group you created in part I. Users can only be assigned to one home group.
- Type a secure password in the **Password** fields. This password will be required for the new user to login. Optionally, you can set up more settings in the **Account** section.

eser	PROTECT	G∂ ♥ Computer Name	⁄	⊡ LOGOUT
	DETECTIONS Submitted Files Exclusions	New Native User		
A	Quarantine			
initia	Computer Users	definition Sets		_
٩	Dynamic Group Templates	Summary Description		- 1
	LICENSES			- 1
۲	2 License Management	Tags		
Φ	ACCESS RIGHTS	Select tags		
γ.	Users	(3) Home group		
2 >	Permission Sets	Sydney Office		
	CERTIFICATES	Set Password		
	Peer Certificates			_
	Certification Authorities	9 Password		
	SERVER			
	Server Settings	Confirm password		
	ACTIVITY AUDIT			
	A			
		BACK CONTINUE FINISH CANCE		

- 5. Click **Permission Sets**. Select the check box next to the unassigned permission sets you just created in Section II.
- 6. Review the settings in the **Summary** section. Click **Finish** to create the user. The user is created and can log in to the ESET PROTECT Web Console.

ESET PROTECT			$\Box \nabla \text{ Computer Name} \qquad \qquad$	▼ A ⊡ LOGOUT
	DETECTIONS Submitted Files Exclusions	New Native User		
A	Quarantine	Basic	Please assign permission sets to native user:	A
idia	Computer Users	Permission Sets		
Þ	Dynamic Group Templates	Summary	ADD ALL REMOVE ALL	
	LICENSES		Unaccioned (Available) Dermission Sets	Permission.
0	2 License Management		Unassigned (Available) Permission Sets	
Φ	ACCESS RIGHTS		A Enterprise Inspector reviewer permission set	A Sydney Perm
ሌ	Users	\ \	A Enterprise Inspector server permission set	
2 >	Permission Sets	\ \	A Enterprise Inspector user permission set	
	CERTIFICATES		Reviewer permission set	
	Peer Certificates		<u>A</u> Server assisted installation permission set	
	Certification Authorities		Sydney Permissions	4 •
	SERVER		Create new Permission Set	
	Server Settings		Selected Permission Set details	
	ACTIVITY AUDIT		Functionality Access	
	A		•	-
	CLOSE CLOSE		BACK CONTINUE FINISH CANCEL	Monday, November 16, 2020