

ESET Tech Center

Knowledgebase > Legacy > Legacy ESET Remote Administrator (6.x / 5.x / 4.x) > 6.x > Install ESET products for Linux Desktop by direct package URL on clients running SUSE Linux 11

Install ESET products for Linux Desktop by direct package URL on clients running SUSE Linux 11

Ondersteuning | ESET Nederland - 2017-11-06 - Comments (0) - 6.x

<https://support.eset.com/kb5971>

Issue

It is not possible to install ESET NOD32 Antivirus Business Edition for Linux Desktop (4.x) on a client computer running SUSE Linux 11 by direct package URL using ESET Remote Administrator (6.x)

You receive the notification "Installation task ended with error: *SoftwareInstallation: Task execution failed with: SoftwareInstallation: Failed to install binary package with exit code: 1.*"

Solution

1. Open ESET Remote Administrator Web Console (ERA Web Console) in your web browser and log in. [How do I open ERA Web Console?](#)
2. Click the desired client computer in **Computers** and select **New Task**, or create a new **Software Install task** under **Admin** → **Client Tasks**.
3. Expand **Basic** and select **ESET Security product** from the **Task Category** drop-down menu.
4. Select **Software Install** in the **Task** drop-down menu.



Figure 1-1

Click the image to view larger in new window

- Expand **Settings**, select the check box next to **I agree with application End User License Agreement** and select the option **Install by direct package URL** and include the path to the installation package (using file://), for example:

`"file://~/Desktop/eset/ueavbe.x86_64.sk.0.linux"`.

In the **Installation Parameters** field, type the parameter: **--cfg=/dev/null**



Figure 1-2

Click the image to view larger in new window

ESET Remote Administrator version 6.2.11 and earlier:

Adding targets is done during task creation (for example, after adding a new task and giving it a **Name**, click **Target** to add groups or clients to the task).

- Click **Finish** when you are finished making changes to your task.
- Click **Create Trigger** when you are asked whether you want to add a trigger for the client task. For instructions to assign a trigger to a **Client Task** and define its targets, see the following ESET Knowledgebase article:
 - [How do I create a Trigger and add Target computers or groups to execute a Client Task? \(6.3\)](#)
- To check the status of the task, navigate to **Admin** → **Client Tasks** → **ESET Security Products**.

Tags

ERA 6.x

Linux