

# ESET Tech Center

Knowledgebase > Legacy > Legacy ESET Remote Administrator (6.x / 5.x / 4.x) > 6.x > Install ESET products for Linux Desktop by direct package URL on clients running SUSE Linux 11

---

## Install ESET products for Linux Desktop by direct package URL on clients running SUSE Linux 11

Ondersteuning | ESET Nederland - 2017-11-06 - Comments (0) - 6.x

<https://support.eset.com/kb5971>

### Issue

---

It is not possible to install ESET NOD32 Antivirus Business Edition for Linux Desktop (4.x) on a client computer running SUSE Linux 11 by direct package URL using ESET Remote Administrator (6.x)

You receive the notification "Installation task ended with error: *SoftwareInstallation: Task execution failed with: SoftwareInstallation: Failed to install binary package with exit code: 1.*"

### Solution

---

1. Open ESET Remote Administrator Web Console (ERA Web Console) in your web browser and log in. [How do I open ERA Web Console?](#)
2. Click the desired client computer in **Computers** and select **New Task**, or create a new **Software Install task** under **Admin** → **Client Tasks**.
3. Expand **Basic** and select **ESET Security product** from the **Task Category** drop-down menu.
4. Select **Software Install** in the **Task** drop-down menu.



**Figure 1-1**

**Click the image to view larger in new window**

- Expand **Settings**, select the check box next to **I agree with application End User License Agreement** and select the option **Install by direct package URL** and include the path to the installation package (using file:// ), for example:

`"file://~/Desktop/eset/ueavbe.x86_64.sk.0.linux"`.

In the **Installation Parameters** field, type the parameter: **--cfg=/dev/null**



**Figure 1-2**

**Click the image to view larger in new window**

### ESET Remote Administrator version 6.2.11 and earlier:

Adding targets is done during task creation (for example, after adding a new task and giving it a **Name**, click **Target** to add groups or clients to the task).

- Click **Finish** when you are finished making changes to your task.
- Click **Create Trigger** when you are asked whether you want to add a trigger for the client task. For instructions to assign a trigger to a **Client Task** and define its targets, see the following ESET Knowledgebase article:
  - [How do I create a Trigger and add Target computers or groups to execute a Client Task? \(6.3\)](#)
- To check the status of the task, navigate to **Admin** → **Client Tasks** → **ESET Security Products**.

Tags

ERA 6.x

Linux