

# ESET Tech Center

Knowledgebase > Legacy > Legacy ESET Remote Administrator (6.x / 5.x / 4.x) > 6.x > Restore a PUA in ESET Remote Administrator using a hash value and exclude it from detection (6.5)

---

## Restore a PUA in ESET Remote Administrator using a hash value and exclude it from detection (6.5)

Perry | ESET Nederland - 2018-01-16 - Comments (0) - 6.x

### Issue

---

Create a policy to exclude PUAs by their hash value in ESET Remote Administrator

### Solution

---

1. Click **Tools** → **Quarantine** on the client machine that has already detected the PUA, and verify that the PUA is listed in the Quarantine list.



**Figure 1-1**

2. Open ESET Remote Administrator Web Console and click **Admin** → **Quarantine**. Verify that the PUA found on the client machine is listed in the Quarantine list.



**Figure 1-2**

**Click the image to view larger in new window**

3. Click **Admin** → **Client Tasks** → **Quarantine management** → **New**. Enter the necessary information in the **Basic** section.
4. Expand the **Settings** section and select **Restore object(s) and**

**Exclude in Future** from the **Action** drop-down menu.  
Select **Hash items** from the **Filter Type** drop-down menu.

5. Click **Add** in the **Hash Item(s)** section under **Filter Settings**, select the check box next to the PUA that was detected on the client machine and click **OK**.
6. Create a trigger and click **Finish** to complete the task.



**Figure 1-3**

**Click the image to view larger in new window**

7. On the client machine, navigate to **Exclusions**. The PUA is now listed as an exclusion in the Exclusions list.



**Figure 1-4**

8. In ESET Remote Administrator Web Console, click **Computers**, select the client computer and click **Show details** → **Configuration** → **Request Configuration**.
9. Select **Security product** and click **Convert to Policy**.



**Figure 1-5**

**Click the image to view larger in new window**

10. Open the policy you just created and enter the necessary information in the **Basic** section. Expand the **Settings** section, click **Antivirus** → **Edit** → **Exclusions**.
11. Select the PUA exclusion and click **Edit**. Select the slider bar next to **Exclude for this computer** and click **OK** → **Save**. The policy with this excluded PUA is now available to use for any client computer.



**Figure 1-6**