ESET Tech Center

Kennisbank > Legacy > Configure an ESET endpoint product to function as a Mirror server (6.x)

Configure an ESET endpoint product to function as a Mirror server (6.x)

Ondersteuning | ESET Nederland - 2025-03-07 - Reacties (0) - Legacy https://support.eset.com/kb3641

View permissions

Once these permissions are in place, follow the steps below.

- 1. <u>Open ESET Remote Administrator Web Console</u> (ERA Web Console) in your web browser and log in.
- 3. Click **Policies** → **Edit**.



Figure 2-1 Click the image to view larger in new window

4. Expand Settings, click Update and expand Profiles → Basic. Deselect Choose automatically under Update Server. Type the IP address of the client where you created a mirror, followed by a colon and the port used, into the Update server field (for example, http://10.30.50.110:2221).

ERA 6.4 users

Expand **Settings**, click **Update** and expand **Basic**. Deselect **Choose automatically** under **Update Server**. Type the IP address of the client where you created a mirror, followed by a colon and the port used, into the **Update server** field (for example, http://10.30.50.110:2221).

5. If you defined a username and password for clients to access the mirror, type them into the appropriate fields under **Updating**

From Mirror.

6. Click **Finish** when you are finished making changes. Client computers assigned this policy will receive the new settings next time they check in (by default, clients check in every 20 minutes).



Figure 2-2 Click the image to view larger in new window

- Tags
- Mirror