

ESET Tech Center

Kennisbank > Server Solutions > How do I activate the Web Interface of ESET Security for Linux/FreeBSD?

How do I activate the Web Interface of ESET Security for Linux/FreeBSD?

Ondersteuning | ESET Nederland - 2017-10-31 - Reacties (0) - Server Solutions

To activate the Web Interface of *ESET Security* for Linux/FreeBSD, follow the steps below:

1. Open the configuration file (with root permissions) in a text editor.

```
root@machine:~$ vi /etc/opt/eset/esets/esets.cfg
```

2. Find the **[wwwi]** by scrolling or searching. Each line is commented with detailed instructions for use.

3. Enable the **[wwwi]** agent.

```
agent_enabled = yes
```

4. Specify the listening address to **0.0.0.0** to listen on all interfaces. If you would like to constrain the service to one specific interface, set that IP address as your listening address.

```
listen_addr = "0.0.0.0"
```

5. Specify the listening port to a port number of your choice. We recommend selecting a port greater than 1024 and recommend avoiding port 80 for security reasons.

```
listen_port = 2220
```

6. Specify a username and password of your choice (username and password are required to access the interface). Do not use your *ESET Security* username or password or the root password for your system. Without setting a username and password, daemon will not start.

```
username = "username"
```

```
password = "password"
```

7. Save the configuration file and exit.
8. Restart the `esets_daemon` to start the Web Interface.

```
root@machine:~$ sudo /etc/init.d/esets restart
```

Verify that the Web Interface daemon is running:

```
root@machine:~$ ps -e | grep esets
5443 ?      00:00:00 esets_daemon
5444 ?      00:00:11 esets_daemon
5447 ?      00:00:02 esets_wwwi
```

NOTE:

The presence of `esets_wwwi` in the output of the process status indicates that the Web Interface is running.

To verify if the daemon is listening on port 2220:

```
netstat -an | grep LISTEN | grep 2220
```

9. Navigate to **`https://localhost:2220`** (where 2220 is the listen port you set in step 5) in your web browser to test it. If your browser displays a security certificate warning, accept the website certificate.



Figure 1-1

Click the image to view larger in new window

10. To log onto the Web Interface, enter the username/password that you specified in the configuration file `/etc/opt/eset/esets/esets.cfg` (see step 6) in the appropriate fields and log in.



Figure 1-2

Click the image to view larger in new window

Related articles:

[Download and install ESET server solutions for Linux/FreeBSD](#)