ESET Tech Center

Kennisbank > ESET PROTECT > Migrate ESET PROTECT from Virtual Appliance to Windows Server

Migrate ESET PROTECT from Virtual Appliance to Windows Server

Steef | ESET Nederland - 2021-01-15 - Reacties (0) - ESET PROTECT

Issue

Migrate ESET PROTECT Server from ESET PROTECT Virtual Appliance to Windows
 Server

Prerequisites:

- ESET PROTECT Virtual Appliance
- New MySQL database using the default name "era_db" and username "root".

Supported MySQL Database
The following guide is only applicable to ESET PROTECT running a <u>supported</u> MySQL database.

Solution

 Generate a new ESET PROTECT Server certificate with connection information for the new ESET PROTECT Server. Log in to your existing ESET PROTECT Virtual Appliance (ESET PROTECT VA) and click More → Peer Certificates → New → Certificate.

<u>es</u> et	PROTECT										SOUT 1in
		Peer Certificates		ACCESS GROUP Select	Tags	~	ADD FILTER			PRESETS 🔝] 0
	Exclusions Quarantine	Tags	<u>م</u>	DESCRIPTION		STATUS	VALID FROM	VA	LID TO		۲
				Server certificate			2020 Nov 28 00:00	00 203	80 Nov 30 00:00:00		
ž	COMPUTERS Computer Users			Agent certificate			2020 Nov 28 00:00	00 203	80 Nov 30 00:00:00		
Þ	Dynamic Group			Proxy certificate			2020 Nov 28 00:00:	203	80 Nov 30 00:00:00		
	iempiates			Agent certificate f	r server assisted i		2020 Nov 28 00:00:	00 203	80 Nov 30 00:00:00		
۲	LICENSES										
φ											
<i>6</i> -											
>											
τ											
<u> </u>	Peer Certificates	\bigcirc									
		This is where you can see the list of your									
		applied tags and quickly filter them.									
				+ Certificat + APN/ABI	4 Certificate						•
					EDIT.	. SHOW	W REVOKED			⊠ © 1 ⊙	

 Type the **Description** of the certificate. Select **Server** from the **Product** drop-down menu. Leave the **Host** field set to the default value (an asterisk) and leave the **Passphrase** and **Confirm passphrase** fields empty.

eser		G Computer Name	K LINKS 🔻	⑦ HELP ♥	A ADMINISTRATOR	⊡ LOGOU >9 min
	Create Certificate Peer Certificates > New Server Certificate					
4	Basic	Description				
	🔺 Sign	New Server Certificate				
	Summary	Tags				
		Select tags				
		Product ③				
		Server	*			
		Host 🕥				
		● Passphrase ⑦				
		Confirm passphrase				
		Show passphrase				
		Attributes (Subject)				
		Common name 💿				
		BACK CONTINUE FINISH CANCEL				

- Click Sign. Select the radio button next to Certification authority under Signing method. In the Certification authority options, click Select certification authority. A new window will open; select the certification authority you want to use to sign a new certificate. Click OK to confirm and return to the previous window.
- Type the Certification Authority passphrase. In this case, it is the same password you use to log into ESET PROTECT Appliance management console. Click the Summary section to review the settings of the new certificate and click Finish to apply.

eser	PROTECT		G Computer Name QUICK LINKS V 💿 HELP V Å ADMINISTRATOR 🕃 LOGOUT
	DETECTIONS Submitted Files Exclusions	Create Certificate Peer Certificate	
▲ ※ 2 1 © ¢ * • • •	Conservices Computer Users Organic Group Template: Ucense Management ACCESS BIGHTS Users Permission Sets CERTIFACATS Due Confidence	Basic Sign	Basic Signing method Certification authority Cester Certification authority Create Certification Authority Custom pfx file Choose File No file chosen UPLODO
			Certification Authority passphrase

 Create a new policy to set a new ESET PROTECT Server IP address and assign the policy to all client computers. Click **Policies** → **New Policy**.

ese	PROTECT			G⊽ Col	nputer Name	QUICK LINKS 🗢	⑦ HELP ♥	A ADMINISTRATOR	LOGOUT →9 min
::		Policies :	ACCESS	GROUP Select	SHOW UNASSIGNED	Tags			
G		Policies 🔎	ADD	FILTER					RESETS
		^ All		NAME	POLICY PRODUCT	TAGS		DESCRIPTION	٥
		Custom Policies Built-in Policies		Application reporting -	Report ESET Management	Agent		ESET Management Ager	nt will
Þ		ESET Endpoint for Android (2+)		Connection - Connect e	very 6 ESET Management	Agent		Agent default replication	n inter
		B ESET Endpoint for macOS (OS X) a		Connection - Connect e	very 2 ESET Management	Agent		Replication interval for u	ip to 1
۲	Policies	ESET Endpoint for Windows		Connection - Connect e	very 6 ESET Management	Agent		Replication interval reco	mmen
Φ	Notifications	ESET File Security for Windows Ser		General - Maximum pro	tection ESET Virtualization	Security		The most secure configu	uration
8.		िंग ESET Mail Security for Microsoft Ex		General - Recommende	d setti ESET Virtualization	Security - S		Recommended settings	for ES
		ESET Management Agent		Antivirus - Balanced	ESET Endpoint for r	nacOS (OS		ESET Security Product fo	er OS
		ESET Virtualization Security - Prote		Antivirus - Maximum se	curity ESET Endpoint for r	nacOS (OS		Taking advantage of adv	anced
		Tags ,D		Device control - Maximi	um sec ESET Endpoint for V	Vindows		All devices are blocked.	When
				Device control - Read o	nly ESET Endpoint for V	Vindows		All devices can only be r	ead
				Firewall - Block all traffic	exce ESET Endpoint for V	Vindows		Block all traffic except co	onnect
				Logging - Full diagnosti	c logg ESET Endpoint for V	Vindows		This template will ensure	e that
				Logging - Log importan	t even ESET Endpoint for V	Vindows		Policy ensures that warn	ings,
				Antivirus - Balanced	ESET Endpoint for V	Vindows		Security configuration re	ecom
		This is not set of the first of second		Antivirus - Maximum se	curity ESET Endpoint for V	Vindows		Taking advantage of ma	chine I
		applied tags and quickly filter them.		Visibility - Balanced	ESET Endpoint for V	Vindows		Default setting for visibil	lity. St
				Visibility - Invisible mod	e ESET Endpoint for V	Vindows		Disabled notifications, al	lerts,
E			ACTIO		CY ASSIGN 🗢				4 ⓒ 1 ⓒ 😂

 Enter a name for your policy, the Description field is optional. Click the Settings tab, select ESET Management Agent from the drop-down menu and then click Edit server list.



 In the Servers window, click Add. In the host field, type the IP address of your new ESET PROTECT VA in format xxx.xxx.xxx. If you are using a port other than the default ESET PROTECT Server port 2222, specify your custom port number. Click OK. Make sure your new ESET PROTECT Server address is listed first and click Save.



Click the Assign tab to specify the clients that are targeted by this policy. Click
 Assign to display a new popup window with all Static and Dynamic Groups

	•				2	•	
eser	PROTECT		G	✓ Computer Name	QUICK LINKS 🗢	⑦ HELP ♥	B LOGOUT
		New Policy					
G		Policies > New Policy					
A							
ай -		Basic	ASSIGN UNASSIGN				
Ð		Assign	TARGET NAME	TARGE	T DESCRIPTION	TARGET TYPE	Ø
a		Summary	_				~
0					NO DATA AVAILABLE		
ψ							
Q.							
			BACK CONTINUE	FINISH CANCEL			

9. Select the Static Group **All** to assign the policy to all connected agents and click **OK**.

Select targets							×
Groups	A G 🗸 🔿	Tags	AD	D FILTER PRE	SETS 🗢		
All (2) Lost & found (2)		TAGS	STA M	U MO	LAST CONNECTED	ALE	Ø
│ ∨ 🗊 Windows computers			~	Un	2020 Dec 4 10:22:20	0	0
🗌 🗸 🖿 Linux computers				Un	2020 Dec 4 10:22:19	0	0
🗌 🗸 🖿 Mac computers			· ·				
Computers with outdated mo	\mathbf{X}						
Computers with outdated op							
Problematic computers							
Not activated security product							
🗌 🗸 🖿 Mobile devices							
				_			
						K © 1 (,
TARGET NAME	TARGET DESCRIPTION			TARGET TYP	E		0
All				Static Group			
REMOVE REMOVE ALL						ОК СА	NCEL

- 10. Review the settings for this policy and click **Finish** to apply. The time to apply the policy will vary depending on your ESET PROTECT VA configuration.
- 11. When the policy is applied, <u>open ESET PROTECT VA Management Console</u> and create a <u>database backup</u>.
- 12. In the ESET PROTECT Server Appliance management mode menu, select

Enable/Disable Webmin interface to enable the <u>Webmin interface</u>. Connect to the Webmin interface using a web browser with the IP address of ESET PROTECT VA and port 10000. A sample address is included here: *https://xxx.xxx.xxx.xxx:10000* Log into the Webmin interface using the ESET PROTECT VA credentials where *root* is the login.

You must enter a username and password to login to the server on	
a root	
······	
Remember me	
➡3 Sign in	

13. In the Webmin interface main menu, expand **Others** and select **File Manager**.
Navigate to the folder */root/*. Right-click *era-backup.sql* file and select **Download** from the context menu. Save the file to a local drive and then copy it to a



- 14. Return to the ESET PROTECT VA window, log into the management mode and select **Shut down system**.
- 15. On the target Windows Server, prepare a <u>clean installation of MySQL Server</u>. When you are prompted by MySQL installer to create a Root Account Password, we recommend that you use the same one you used in ESET PROTECT Server Appliance.
- 16. Before proceeding you must import ESET PROTECT VA database backup to an empty database named *era_db* on the target MySQL Server. Open a Command prompt and navigate to the MySQL Server binaries folder (default location is *C:\Program Files\MySQL\MySQL Server x.x\bin*). Enter the following commands, replace *TARGETHOST* with the address of the target database server.

mysql --host TARGETHOST -u root -p "--execute=CREATE DATABASE
era_db /*!40100 DEFAULT CHARACTER SET utf8 */;"

17. Restore the ESET PROTECT VA backed up database to the previously prepared empty database. Make *PATHTOBACKUPFILE* the location where you have stored the ESET PROTECT VA database backup:

mysql --host TARGETHOST -u root -p era_db < PATHTOBACKUPFILE</pre>

 Create an ESET PROTECT database user named *root* on the target MySQL server. Replace *TARGETERAPASSWD* with the password you used to log in to ESET PROTECT VA management console: mysql --host TARGETHOST -u root -p "--execute=CREATE USER root@'%' IDENTIFIED BY 'TARGETERAPASSWD';"

19. Grant proper access rights for the ESET PROTECT database user - *root,* on the target MySQL server:

mysql --host TARGETHOST -u root -p "--execute=GRANT ALL ON eradb.* T0 root;"

20. tbl_authentication_certificate table (if you do not remove these records, Agents may fail to connect to the new ESET PROTECT Server):

mysql --host TARGETHOST -u root -p "--execute=DELETE FROM era_db.tbl_authentication_certificate where certificate_id = 1;"

21. Click <u>here</u> to download the ESET PROTECT Server stand-alone component. Execute the installation file and follow the Installation Wizard. When you reach the **Database server connection** setup in installation, make sure that the MySQL Server and MySQL ODBC Driver are detected properly. The database must be named *era_db*. In the **Database account** section, type in the **Username** "root" and **Password** you have created in step 18. Click **Next** to continue. The installer will ask if you want to use the provided user *root* as a database user for ESET PROTECT, click **Yes** to apply and continue.

🛃 ESET PROTECT Server Setup		<u></u>		×
Database server connection Please enter database server connecti	on.		(eser
Database:	MySQL Server			~
ODBC driver:	MySQL ODBC 5.3 Unicode Driv	ver		\sim
Database name:	era_db			
Hostname:	localhost			
Port:	3306			
Database account				_
Username:	root	_	_	
Password:	[
	Back Next		Car	ncel

22. In the following window, the Installation Wizard will configure an Administrator

password for Web Console. Select the check box next to **Use Administrator password already stored in the database**. Change the Agent and Console port if required to match the settings in ESET PROTECT Server Appliance. The default value for Agent port is 2222 and the default value for Console port is 2223.

B ESET PROTECT Server Setup − □ ×
Web Console user & server connection Please enter Web Console user password and server connection.
Use Administrator password already stored in the database
Password:
Password confirmation:
Agent port: 2222
Console port: 2223
Back Next Cancel

23. In the following window, select the radio button next to Keep currently used certificates and click Next to continue. Follow the Installation Wizard to finish the Server component installation.



24. Install ESET PROTECT Web Console.

25. <u>Open ESET PROTECT Web Console</u> in your web browser and log in.Use your ESET PROTECT Server Appliance password. Verify that the agents have migrated successfully and are connecting to the new server. Do not uninstall your old ESET PROTECT Server Appliance until you have verified the migration was successful.