

ESET Tech Center

[Knowledgebase](#) > [Diagnostics](#) > [Virtual desktop infrastructure \(VDI\) troubleshooting](#)

Virtual desktop infrastructure (VDI) troubleshooting

Steef | ESET Nederland - 2023-01-06 - [Comments \(0\)](#) - [Diagnostics](#)

Issue

- Collect ESET Log Collector (ELC) logs from the Master computer and ESET PROTECT Server

Details

If you have issues with a VDI clone, perform the steps below to collect ELC logs from the Master computer and ESET PROTECT Server for Virtual desktop infrastructure (VDI) troubleshooting.

Solution

1. [Prerequisites](#)
2. [Create a Master computer](#)
3. [Set trace verbosity on ESET PROTECT server](#)
4. [Set trace verbosity on Master computer](#)
5. [Collect ELC logs from Master computer](#)
6. [Create and deploy VDI pool](#)
7. [Collect ELC logs from ESET PROTECT Server](#)

I. Prerequisites

1. Open the ESET PROTECT Web Console in your web browser and log in.
2. [Add client computer in ESET PROTECT.](#)
3. [Install ESET Management Agent](#) and connect it to the ESET

PROTECT. Wait for a few (3-4) successful replications.

II. Create a Master computer


1. [Create a Master computer.](#)

- In step 3 of the Mark a machine as a Master computer before cloning section select **Match with existing computers** and click **Save**. Wait for a few successful replications.

[Read more about Master computer for cloning.](#)

III. Set trace verbosity on ESET PROTECT Server

1. Click **More** → **Server Settings** and expand **Advanced Settings**.



- ### 1. Scroll down and in the **Logging** section, select **Trace** from the **Trace log verbosity** drop-down menu. Click **Save**.



Server Settings ?

Enables automatic pairing of found computers to computers already present in static groups. Pairing works on reported hostname by agent and if it can not be trusted then it should be disabled. If pairing fails computer will be placed into Lost and Found group.

REPOSITORY

Server

PRODUCT IMPROVEMENT PROGRAM

Participate in product improvement program ☐

LOGGING

Trace log verbosity Trace
Trace
 Debug
 Information
 Warning
 Error
 Fatal

Export logs to Syslog ☐

Exported logs format

DATABASE CLEANUP

Clean Incident logs older than

Clean Management logs older than


Clean Audit logs older than

Clean Monitoring logs older than


+ CUSTOMIZATION

IV. Set trace verbosity on Master computer


1. Click **Computers** and select the desired Group of computers (in this example, **Windows computers**). Click the computer that you have previously marked as the Master computer in [step 2](#) of the Set trace verbosity on ESET PROTECT Server section and click **Manage Policies**.



1. Click **Create & Add Policy**.




1. Type a name for a new policy in the **Name** field (the **Description** field is optional) and click **Settings**.




1. From the drop-down menu, select **ESET Management Agent** and then expand **Advanced Settings**.





1. Scroll down and in the **Logging** section, select **Trace** from the **Trace log verbosity** drop-down menu. Click **Assign**.



1. Click **Finish**. Your policy settings will be applied to the Master computer.



New Policy
Computers > Policy application order > Logging

Basic
Settings
Assign
Summary

ASSIGN... UNASSIGN

<input type="checkbox"/>	TARGET NAME	TARGET DESCRIPTION	TARGET TYPE
<input type="checkbox"/>			Computer

BACK CONTINUE **FINISH** CANCEL

V. Collect ELC logs from Master computer

1. [Collect the ESET Log Collector logs](#) from the Master computer.

VI. Create and deploy VDI pool

1. [Create and deploy a VDI pool](#).
2. Run a few machines from the VDI pool. Wait for 3-5 replications of the Agent.
3. When an issue occurs, collect the ELC logs from the machines.

VII. Collect ELC logs from ESET PROTECT Server

1. [Collect the ESET Log Collector logs](#) from the PROTECT Server.

For more information, visit [ESET PROTECT Troubleshooting Online Help](#).