

# ESET Tech Center

Kennisbank > Legacy > Deploy the ESET Management Agent to a macOS client using Agent Live Installer (8.x)

## Deploy the ESET Management Agent to a macOS client using Agent Live Installer (8.x)

Steef | ESET Nederland - 2021-01-14 - Reacties (0) - Legacy


### Issue

- When deploying the ESET Management Agent Live Installer to a macOS client, the package is distributed as a .tar.gz file
- Extract PROTECTAgentInstaller.tar.gz and install the ESET Management Agent


### Solution

Peer certificates and Certification Authority that are created during the installation are by default contained in the Static Group All.


1. [Open ESET PROTECT Web Console](#) in your web browser and log in.
2. Click **Quick Links → Other Deployment Options**.




3. Select **Create Agent Live Installer**; you can select **Create Installer** or **Select Existing**. In this example, **Create Installer** option is selected.




4. Deselect the check box **Participate in product improvement program** if you do not agree to send crash reports and telemetry data to ESET. If the check box is left selected, telemetry data and crash reports will be sent to ESET. Click **Configuration** where you can change the **Name** for the Agent Live Installer, change **Server Hostname** (optional) and select **Parent group** where the computer will be contained after the installation (optional).
5. Click **Finish**.



6. Click **Download** under **Agent Installer for Mac**. Make note of the file's saved location.



7. Distribute the Live Installer file to your Apple client using email, a shared network folder, or whatever means you choose. Download the file to the Desktop on your client.
8. After you have downloaded the file to the client, double-click **PROTECTAgentinstaller.tar.gz** to extract the file. **PROTECTAgentinstaller.sh** will be extracted to your Desktop.
9. Click **Go** → **Utilities** and then double-click **Terminal** to open a new Terminal window.



10. In your new Terminal window, enter the following commands:
  1. `cd Desktop`
  2. `bash PROTECTAgentinstaller.sh`

! Users of macOS Sierra and later need to use root access

If you are using macOS Sierra and later, run the command:


```
sudo bash PROTECTAgentinstaller.sh
```

instead of:

```
bash PROTECTAgentinstaller.sh
```

in step 10b.

11. When you are prompted for your password, type the password for your user account. Though characters will not appear, your password will be entered. Press **Return** when you are finished to continue the installation.
12. Click **Go → Utilities** and then double-click **Activity Monitor**. Click the **Energy** tab and locate the process called **ERAAgent** to verify that the Agent is running. You can now manage this client computer using ESET PROTECT.



The screenshot shows the Activity Monitor application with the Energy tab selected. The table below lists the active processes and their energy impact.

Process Name	Energy Impact	App Nap	Graphics Card	Preventing Sle...	User
Activity Monitor	1.9	No	No	No	eset
configd	0.1	No	No	No	root
Control Center	0.1	No	No	No	eset
<b>ERAAgent</b>	<b>0.3</b>	<b>No</b>	<b>No</b>	<b>No</b>	<b>root</b>
ESET Endpoint Security	0.6	No	No	No	eset
ESET Endpoint Security	0.3	No	No	No	eset
esets_daemon	0.1	No	No	No	root
kernel_task	0.0	No	No	No	root
launchd	0.3	No	No	No	root
launchservicesd	0.1	No	No	No	root
powerd	0.1	No	No	No	root
sysmond	1.3	No	No	No	root
systemstats	0.1	No	No	No	root
TeamViewer_Desktop	0.3	No	No	No	eset
WindowServer	5.1	No	No	Yes	_windowserver

At the bottom of the window, there are three panels: ENERGY IMPACT (a line graph), Graphics Card: Integrated (with sub-panels for Remaining charge: 100%, Battery Is Charged, and Time on AC: 1:00), and BATTERY (Last 12 hours) (a green bar chart).

13. If you are performing a new installation of ESET PROTECT, proceed to Step 5, [deploy ESET endpoint products to your client computers](#).